



Companion Guide

**ASC X12N 837P (005010X222A1)
Health Care Claim: Professional 837**

**Version 1.18
February 2022**

Preface

The Cigna Companion Guide supplements the HIPAA ASC X12N 837P (005010X222A1) Implementation Guide for Professional Health Care Claims.

Disclosure Statement

The information provided here is for reference use only, and does not constitute the rendering of legal, financial, or any other professional advice or recommendations by Cigna makes no representation or warranties of any kind in connection with the information provided herein, and hereby disclaims any other expressed or implied warranties, including implied warranties of merchantability or fitness for a particular use or purpose.

“Cigna” is a registered service mark and the “Tree of Life” logo is a service mark of Cigna Intellectual Property, Inc., licensed for use by Cigna Corporation and its operating subsidiaries. All products and services are provided by or through such operating subsidiaries, including Connecticut General Life Insurance Company and Cigna Health and Life Insurance Company, and not by Cigna Corporation.

Table of Contents

1. INTRODUCTION	5
1.1. SCOPE	5
1.2. OVERVIEW	5
1.3. REFERENCES	5
2. GETTING STARTED	5
2.1. WORKING WITH CIGNA	5
2.2. TRADING PARTNER REGISTRATION	5
2.3. SYSTEM AVAILABILITY AND DOWNTIME	5
3. TESTING WITH THE PAYER	6
3.1. X12 TRANSACTION AUTHORIZATION TESTS	6
3.2. X12 TRANSACTION ENVELOPE TEST VALIDATION	7
3.3. X12 TRANSACTION EXCEPTION PROCESSING	7
4. CONNECTIVITY WITH THE PAYER / COMMUNICATIONS	7
4.1. SYSTEM AVAILABILITY	7
4.2. PROCESS FLOWS	7
4.2.1. TRADING PARTNER TESTING	8
4.3. TRANSMISSION ADMINISTRATIVE PROCEDURES	10
4.3.1. RE-TRANSMISSION PROCEDURE	10
4.4. COMMUNICATION PROTOCOL SPECIFICATIONS	10
4.5. SECURITY AND AUTHENTICATION REQUIREMENTS	10
5. CONTACT INFORMATION	11
5.1. EDI CUSTOMER SERVICE	11
5.2. EDI TECHNICAL ASSISTANCE	11
5.3. PROVIDER SERVICE NUMBER	11
5.4. APPLICABLE WEBSITES / E-MAIL	11
6. CONTROL SEGMENTS / ENVELOPES	11
6.1. ISA – IEA (837P)	11
6.2. GS – GE (837P)	12
6.3. ST – SE (837P)	13
7. PAYER SPECIFIC BUSINESS RULES AND LIMITATIONS	14
8. ACKNOWLEDGEMENTS AND OR REPORTS	16
9. TRADING PARTNER AGREEMENTS	17
10. TRANSACTION SPECIFIC INFORMATION (LOOPS)	17
10.1. LOOP 2010AA (837P) – BILLING PROVIDER NAME	17
10.2. LOOP 2000B (837P) – SUBSCRIBER HIERARCHICAL LEVEL	17
10.3. LOOP 2000C (837P) – PATIENT HIERARCHICAL LEVEL	17
10.4. LOOP 2300 (837P) – CLAIM INFORMATION	17
10.5. LOOP 2310C (837P) – SERVICE FACILITY LOCATION NAME	18
10.6. LOOP 2320 (837P) – OTHER SUBSCRIBER INFORMATION	18
10.7. LOOP 2400 (837P) – SERVICE LINE NUMBER	19
10.8. LOOP 2430 (837P) – LINE ADJUDICATION INFORMATION	19
10.9. LOOP 2440 (837P) – FORM IDENTIFICATION CODE	20
11. APPENDICES	20
11.1. IMPLEMENTATION CHECKLIST	20

11.2. BUSINESS SCENARIO	20
11.3. TRANSMISSION EXAMPLE	20
11.4. TRADING PARTNER SET UP REQUEST FORM	20
11.4.1. ROLES AND RESPONSIBILITIES	21
11.5. CHANGE SUMMARY.....	21

1. INTRODUCTION

1.1. SCOPE

This Companion Guide has been designed to describe to Cigna's trading partners the format and data content of the 837 Professional Health Care Claim transaction in the Electronic Data Interchange (EDI) environment.

1.2. OVERVIEW

This Companion Guide will replace, in total, the previous Cigna Companion Guide for the 837 Professional Health Care Claim transaction. This Companion Guide has been written to assist you in designing and implementing Professional Claim transactions to meet Cigna's processing standards. The Cigna Companion Guide identifies key data elements from the transaction set that we request you provide to us. The recommendations made are to enable you to more effectively submit Professional claim transaction to Cigna.

1.3. REFERENCES

This document is a companion to the ASC X12N Implementation Guide (005010X222A1) Health Care Claim: 837 Professional.

2. GETTING STARTED

2.1. WORKING WITH CIGNA

Cigna trading partners must have an active trading partner agreement. If a third-party has been elected to perform electronic transactions, additional Trading Partner information may be required for setup.

Cigna offers multiple connectivity options, as noted in Section 4 below for exchanging EDI transactions through a consolidated Gateway managed by Cigna.

Trading partners who have an active trading partner agreement are given IDs and a URL to access the Cigna Technical Assessment Tool.

If you have additional questions please contact Cigna at this email address:
EDIEscalatedRequests@Cigna.com

2.2. TRADING PARTNER REGISTRATION

All trading partners who wish to submit Health Care Claims to Cigna via the ASC X12 837P (Version 005010X222A1) must complete three technical assessments to provide Cigna with their contact information, desired connectivity method, and transaction-specific information. After completing the assessments Cigna will work with each Trading Partner to establish connectivity. Upon successful connectivity testing each Trading Partner can then begin system testing.

2.3. SYSTEM AVAILABILITY AND DOWNTIME

The 837P transaction is available 24 hours a day, 7 days a week. However, to allow for maintenance, the 837P transactions may be unavailable on the first and third Sundays of the month from 6:00 p.m. until 10:00 p.m. EST. Batch files are queued for processing after the release window completes.

3. TESTING WITH THE PAYER

EDI Controls

Cigna will utilize, when necessary and appropriate, both the TA1 – Interchange Acknowledgement and 999 – Functional Acknowledgement responses.

X12 Transaction Processing

- X12 transactions will be verified as originating from a Cigna recognized trading partner (authenticated) and checked for access to submit the specific X12 transaction (authorization). Failure of “authorization test” will generate a TA1 and/or 999 response back to the Trading Partner.
- X12 transactions will be checked for proper X12 structure via “envelope test validation”. This insures the transaction request is complete and formatted properly. Failures of envelope tests can generate TA1 or 999 responses back to the Trading Partner.
- X12 data elements that are mapped to Cigna’s copybook will be checked for validity through a defined set of “exception processing tests”. If an exception occurs, the appropriate 999 response is sent back to the trading partner
- Special Test Processing: If the ISA15 (Usage Indicator) is set to T (Test Data), then the X12 request ISA10, GS04 and GS05 date and time elements are returned in the X12 response. This allows for regression test tools to validate expected data/time responses in those fields. If the ISA15 (Usage Indicator) is set to P (Production Data), then the data and time fields are populated with the current date and time.

3.1. X12 TRANSACTION AUTHORIZATION TESTS

The following table defines the “authorization tests” to be processed on receipt of each X12 Health Care Claim: 837 Professional.

The authorization tests run in the order shown. Upon detection of an error, the appropriate TA1 or 999 response is sent. Multiple errors are not processed in the TA1 response since this can lead to faulty error reporting. In the 999 error response multiple errors may be sent with the exception of GS01 and GS08 errors. If both GS01 and GS08 errors are present, only the GS01 error will be sent since only 1 AK905 segment is allowed.

HIPAA Element	Authorization Tests	TA1 Response	999 Response
		TA105	AK905
N/A	Clearing House source can not be identified	013	N/A
ISA05/ISA06	Unknown clearing house (unknown ISA05/ISA06 combination)	006	N/A
ISA07/ISA08	Unknown Payor (unknown ISA07/ISA08 combination)	008	N/A
ISA14	Acknowledgment Requested	019	N/A
GS01	Unsupported Transaction Set in Group	N/A	1
GS02	Unknown Originator ID value	N/A	1
	Missing Originator ID value	N/A	1
GS03	Unknown Recipient LOB value	N/A	1
	Missing Recipient LOB value	N/A	1
GS08	Unsupported Version of Implementation Guide	N/A	2

3.2. X12 TRANSACTION ENVELOPE TEST VALIDATION

- The following table defines the “envelope tests” to be processed on receipt of each X12 837P request.
- The envelope tests run in the order shown. Upon detection of an error, the appropriate TA1 or 999 response is sent. Multiple errors are not processed since this can lead to faulty error reporting.

HIPAA Element	Envelope Tests	TA1 Response	999 Response	
		TA105	IK502	AK905
IEA Segment	Control Number in IEA02 does not match Control Number in ISA13	001	N/A	N/A
IEA Segment	Functional Group Count in IEA01 does not match actual Functional Groups counted	021	N/A	N/A
GE Segment	Group Control Number in GE02 does not match Group Control Number in GS06	N/A	N/A	4
ST Segments	Transaction Sets Included count in GE01 does not match actual Transaction Sets counted	N/A	N/A	5
ST Segments	Transaction Set Control Number in ST02 does not match Transaction Set Control Number in SE02.	N/A	3	NA
SE Segment	Number of Included Segments Count in SE01 does not match actual segment count	N/A	4	N/A

3.3. X12 TRANSACTION EXCEPTION PROCESSING

This section will be completed in coordination with Cigna System Testing.

4. CONNECTIVITY WITH THE PAYER / COMMUNICATIONS

4.1. SYSTEM AVAILABILITY

The 837P is available 24 hours a day, 7 days a week. However, to allow for maintenance, the 837P transactions may be unavailable on the first and third Sundays of the month from 6:00 p.m. until 10:00 p.m. EST. Batch files are queued for processing after the release window completes.

4.2. PROCESS FLOWS

Cigna trading partners must have an active trading partner agreement. If a third-party has been elected to perform electronic transactions, additional Trading Partner information may be required for setup.

Trading partners who have an active trading partner agreement are given IDs, passwords, and a URL to access the Cigna Technical Assessment Tool. Trading Partners will complete a minimum of three technical assessments to provide Cigna with their contact information, desired connectivity method, and transaction-specific information.

Trading partners should submit transactions according to current guidelines. Any questions regarding transmission must be submitted to Cigna EDI Customer Service.

Cigna offers the following transmission methods for securely exchanging batch transactions using the Cigna Gateway:

- SFTP/SSH-2 (PGP encryption optional)
- FTP/s SSL (PGP encryption optional)
- AS2
- VPN
- HTTP/HTTPS
- Connect:Direct (NDM)

Please Note: These are Cigna Standard offerings. If these methods cannot be applied, contact the Cigna Trading Partner help desk at CHCTradingPartnerManagement@Cigna.com to schedule a meeting with a Cigna TPG representative.


After establishing a transmission method, each trading partner must successfully complete testing. Information on this phase is provided in the next section of this companion guide

4.2.1. TRADING PARTNER TESTING

Before submitting production inbound files, each trading partner should be tested.

- Trading partners should test by uploading inbound X12 files to the self-service Cigna HIPAA Validation Tool. The tool analyzes files and generates reports listing any HIPAA validation errors encountered. Once test files successfully pass the Cigna HIPAA Validation Tool, trading partners should proceed to the next step to test a file through the Cigna system.
- Trading partners should test by submitting inbound X12 files and receiving validation from Cigna that the data in the file processes as expected. Trading partner testing includes HIPAA compliance testing as well as validating the use of conditional, optional, and mutually defined components of the transaction.

Batch Submission Flow



4.3. TRANSMISSION ADMINISTRATIVE PROCEDURES

Cigna will respond to 837 transmissions with the 999, the 277CA 5010, Cigna August 2011 system release and 277PEND/277RFAI 5010, Cigna October 2011 system release (when needed). A TA1 error response is dependent on information submitted within the inbound ISA field will be generated: If the value within the ISA14 element is a '0' then no TA1 will be generated even if the interchange is rejected. If the value within the ISA14 element is a '1' then a TA1 will be generated.

Trading partners should expect to receive the 999 within 4 hours and the 277 CA within 24 hours of Cigna receipt of the 837. The Trading Partner 277CA default preference will be immediate and a Trading Partner can expect to receive a 277CA for each submitted claim. A Trading Partner can request setup of a batch process for the 277CA if preferred.

The naming convention for inbound 837 files needs to follow these guidelines:

1. Entire file name must be less than 256 bytes.
2. Must contain a file extension (ie. .txt, .dat, .pgp).
3. No special characters.
4. Can contain underscores '_' and dashes '-'.
5. Can only contain 2 nodes including the file extension. Nodes are separated by a period '.'.

Examples of valid inbound file names:

- fileabc.txt
- 837_Inst_ccyymmdd.dat
- TPA-834Enrollment.pgp

Examples of invalid file names:

- fileabc (no file extension)
- 837_Inst_%ccyymmdd (contains a special character)
- TPA.834.Enrollment.pgp (contains more than 2 nodes)
- **Filename.txt.pgp (contains more than 2 nodes)**

In reference to the invalid file name in **BOLD**, some PGP software packages append a file extension of .pgp to the file it is encrypting even if the file already has an extension. If your PGP encryption software does this, please ensure the file being sent to the Cigna Gateway only contains 2 nodes.

4.3.1. RE-TRANSMISSION PROCEDURE

Retransmission of 837 claims must use a new file name and new DCN's to avoid rejection for duplicate submission.

4.4. COMMUNICATION PROTOCOL SPECIFICATIONS

Communication Protocol Specifications are not required for Batch Processing.

4.5. SECURITY AND AUTHENTICATION REQUIREMENTS

For security and authentication information refer to section 11 below.

5. CONTACT INFORMATION

5.1. EDI CUSTOMER SERVICE

Most questions can be answered by referencing this Companion Guide. If you have additional questions related to Cigna's 837P transaction, contact the Claim Intake Team for reporting of 5010 status/issues: EDIescalatedRequests@Cigna.com

5.2. EDI TECHNICAL ASSISTANCE

For technical questions related to Cigna's 837P transaction, contact the Customer Support Center at 1.800.810.3388

5.3. PROVIDER SERVICE NUMBER

Contracting, Provider Service and Credentialing questions, contact 1.800.88Cigna (882.4462).

5.4. APPLICABLE WEBSITES / E-MAIL

For information about Cigna policies, coverage positions and claim edits access the secure provider website at www.cignaforhcp.com. Registration is required.

6. CONTROL SEGMENTS/ENVELOPES

6.1. ISA – IEA (837P)

This section describes the use of the Interchange Control segments, ISA and IEA. These segments mark the beginning and ending of an interchange. The ISA segment has a fixed length and all the elements within this segment must be populated. This segment includes a description of the expected sender and receiver codes and delimiters. The first element delimiter in the ISA segment is an Asterisk (*) which will be used as the delimiter throughout the transaction. The final character in the ISA segment is a Tilde (~) will be used as the delimiter for each segment in the transaction.

The ">" (greater than) or "<" (less than) characters should not be used as the Segment, Element, Repetition Separator (ISA11), or component Element Separator (ISA16) delimiters as this will cause an application failure and cause a delay in the processing of the file.

Segment ID	Element ID	Name	Code	Definition of Code / Notes
ISA		Interchange Control Header Segment		
	ISA01	Authorization Information Qualifier	'00'	No Authorization Information Present
	ISA02	Authorization Information	10 'spaces'	Authorization Information
	ISA03	Security Information Qualifier	'00'	No Security Information Present
	ISA04	Security Information	10 'spaces'	No Security Information Note: Value should always be 'spaces'
	ISA05	Interchange ID Qualifier of Sender	'ZZ'	Mutually defined
	ISA06	Interchange Sender ID	<Sender ID>	Interchange Sender ID for Trading Partner
	ISA07	Interchange ID Qualifier of Receiver	'01' '20' '27' '28' '30'	U.S. Federal Tax Identification Number

			'ZZ'	
	ISA08	Interchange Receiver ID	'029053964' '555550000' '623080000' '623080001' '029053964P' '029053964T' '043138814-11248' '8070500000000000' '807050210'	Interchange Receiver ID for Cigna
	ISA09	Interchange Date	Format: YYMMDD	Date of the interchange See note for ISA15
	ISA10	Interchange Time	Format: HHMM	Time of the interchange See note for ISA15
	ISA11	Repetition Separator	'^'	Repetition Separator is a delimiter used to separate repeated occurrences of simple data element or composite data structure
	ISA12	Interchange Control Version Number	'00501'	Standards Approved for Publication by ASC X12 Procedures Review Board through October 2003
	ISA13	Interchange Control Number	<Interchange Control Number>	Control Number used by the interchange sender; must be identical to the associated Interchange Trailer IEA02
	ISA14	Acknowledgment Requested	'0' '1'	0: No Acknowledgement Requested 1: Acknowledgement Requested
	ISA15	Usage Indicator; Code to indicate whether data enclosed by this interchange envelope is test or production information	'T' 'P'	'T': Test data Note: Date and Time fields in ISA09, ISA10, GS04 and GS05 are returned in the X12 response. 'P': Production Data Note: Date and time fields are populated with current date and time.
	ISA16	Component Element Separator	:	Component element separator is a delimiter and not a data element
IEA		Interchange Control Trailer Segment		
	IEA01	Number of Included Functional Groups	<Number of Included Functional Groups>	Cigna Functional Group count
	IEA02	Interchange Control Number	<Interchange Control Number>	Cigna Interchange Control Number

6.2. GS – GE (837P)

This section describes the Functional Group Control segments, GS and GE. These segments identify the application sender and receiver codes. The GS Control Segment indicates the beginning of a Functional Group and the GE Control Segment indicates the ending of a Functional Group. These control segments describe how Cigna expects a Trading Partner to send functional groups and how Cigna will send functional groups back to the Clearinghouse.

Segment ID	Element ID	Name	Code	Definition of Code / Notes
------------	------------	------	------	----------------------------

GS		Functional Group Header		
	GS01	Functional Identifier Code	'HC'	Health Care Claim: 837 Professional.
	GS02	Application Sender's Code	<Sender Code>	Code identifying party sending transmission; codes agreed to by trading partners.
	GS03	Application Receiver's Code	'029053964' '623080000' '623080001' '029053964P" '029053964T 'CBH' '07050000000000' '80705' '807050210'	Code identifying party receiving transmission. Valid Values are "Cigna" or CBH
	GS04	Date	Format: CCYYMMDD	Date of functional group creation
	GS05	Time	Format: HHMM	Creation time
	GS06	Group Control Number	<Group Control Number>	Assigned number originated by sender; Control Number must be equal same data element in Group Trailer, GE02.
	GS07	Responsible Agency Code	'X'	Accredited Standards Committee X12. Value should always be 'X'.
	GS08	Version / Release / Industry Identifier Code	'005010X222A1'	Health Care Claim: 837P Implementation Guide originally published in May 2006 as "005010X222", and now includes the addenda published in June 2010 as "005010X222A1".
GE		Functional Group Trailer		
	GE01	Number of Transaction Sets Included	<Number of Transaction Sets Included>	Number of transactions included
	GE02	Group Control Number	<Group Control Number>	Group Control Number must be identical to same data element in functional group header, GS06.

6.3. ST – SE (837P)

This section indicates the beginning and the ending of a transaction set and provides the count of the transmitted segments including the beginning (ST) and ending (SE) segments. These segments also provide a Transaction Set Control Number which must be identical in each segment.

Segment ID	Element ID	Name	Code	Definition of Code / Notes
ST		Transaction Set Header		
	ST01	Transaction Set Identifier Code	'837'	Health Care Claim: 837 Professional
	ST02	Transaction Set Control Number	<Transaction Set Control Number>	Transaction Set Control Number assigned by sending party. The transaction set control numbers in ST02 and SE02 must be identical.
	ST03	Implementation Convention Reference	'005010X222A1'	Always matches GS08
SE		Transaction Set Trailer		

	SE01	Transaction Segment Count	<Total Segments>	Total number of segments included in a transaction set including ST and SE segments
	SE02	Transaction Set Control Number	<Transaction Set Control Number>	Transaction Set Control Number assigned by sending party

7. PAYER SPECIFIC BUSINESS RULES AND LIMITATIONS

Cigna accepts the maximum number of occurrences of loops and segments and all code values as stipulated in the HIPAA transaction and code set regulations. However, Cigna does not utilize all information that can be transmitted. This document delineates the Cigna criteria which could impact transaction submission.

Cigna has implemented the use of unique member identifiers. If a member has a unique member identifier, it must be used as the primary identification code in place of the member's Social Security Number. This unique identifier must be used on all inquiries, communications, and claims submissions. If a member has not yet received a unique member identifier, the submitting entity should continue to use the SSN until the member receives the identifier.

To enable timely claim processing Cigna requests that the maximum number of service lines submitted on a claim should be 700.

When Cigna rejects 837 transactions due to compliance errors, Trading Partners should create different Interchange, Group, and Transaction control numbers on the resubmitted 837 transactions, than what was originally used on the rejected transactions. Otherwise, the resubmitted transactions may fail duplicate file check procedures, causing delays in claim processing.

Cigna does not participate in commercial payer to payer COB.

Cigna requires that a claim submitted for correction or replacement or to be voided to a previously submitted claim must be identified as such in CLM05-03 Claim Frequency Code in the CLM Claim Information segment of loop 2300.

- a. The payer assigned claim number of the previously submitted claim must be provided in REF02 of the REF Payer Claim Control Number segment in loop 2300.

Cigna requires that a claim submitted with ICD9 or ICD10 codes utilize the following guidelines. these guidelines also apply to DME claims:

- Valid ICD codes (only industry standard codes that are valid at the time of the date of service should be used) and qualifiers must be submitted on the claim, the claim will be rejected for invalid ICD codes/nonbillable/terminated regardless of the SNIP level for the Trading Partner.
 - This information will be housed in the 2300 loop HI01 through HI12 Health Care Information Codes, including: Principal Diagnosis, Admitting Diagnosis, Patient's Reason for Visit, External Cause of Injury, Other Diagnosis Information, Principal Procedure Information and Other Procedure Information.
- ICD10 codes should be submitted on a claim for dates of service on or after 10/1/2015, if ICD9 codes are submitted on or after this date the claim will be rejected.
- ICD10 Codes submitted on a claim for dates of service prior to 10/1/2015 the claim will be rejected.
- A claim received with a mixture of ICD9 and ICD10 codes will be rejected or a claim that dates of service span across 10/1/2015.

An NPI will be required when provider data is being submitted in either the 2010AA, 2310A, 2310B, 2310C, 2310D, 2420A, 2420B, 2420C, 2420D, 2420E, 2420F. If an NPI is not submitted the claim

will be evaluated to determine if the provider is an atypical provider, if the provider is not atypical the claim will be rejected when the Trading Partner is set to SNIP Level greater than 1-2.

An Atypical Service Provider is one that does not furnish health care services as defined in section 1861 (u) of the SSA. Example are taxi drivers.

PWK02 values:

- The PWK02 value should only be set to 'EL' (Electronic Only) in the following scenarios:
 - When a corresponding 275 transaction is being sent by you, the submitter of the claim
 - When the provider indicates in the claim that NEA will be submitting an attachment on the providers' behalf
 - When there is an agreement between the Trading Partner and Cigna of the PWK to share customized data in which case the PWK02 = EL and the PWK06 begins with //
- For all other attachments being submitted where Cigna would be expected to pick up the attachment in a separate location, the PWK02 should = FT (File Transfer) on the 837.

Relaxation of HIPAA Compliance Guidelines

Cigna currently allows the following exceptions to the guidelines for submitted data as defined in the ASC X12N Implementation Guide (005010X222A1) Health Care Claim: 837 Professional.

- The transaction will not be rejected if:
 - REF02 (Provider Secondary ID) is not in standard Social Security Number format when REF01 = 'SY'
 - REF02 (Provider Secondary ID) is not UPIN when REF01='1G'
 - SBR05 is missing when SBR09 (claim type) is Medicare Part B and Medicare is not primary
 - Segment DTP (Date-Acute Manifestation) is used on a non-Medicare claim
 - SV111 and SV112 are used on a non-Medicaid claim
 - PAT07 and PAT08 are used on a non-Medicare claim
 - PAT08 in loop 2000B is missing on a Medicare DMERC CMN claim
 - N301 or N302 (Address Information) in Billing Provider Loop 2010AA has PO Box or lockbox information
 - SV105 is the same as the value of sub-element CLM05-01
- A warning will be sent if the number of claims exceeds the specified maximum
- Segment REF (Rendering Provider Secondary Identification) may be used even after National Provider ID is mandated
- SBR05 can be used when payer is not Medicare
- Segment CRC (Hospice Employee Indicator) is not required on Medicare claims involving physician services to hospice patients
- CLIA is not validated for number format

- The gateway will be ignoring the error that the value of the sub-element HI diagnosis code segment cannot be verified because there were no pointers to this code
- SSN is valid for REF01 in loops 2310A, 2310B, 2310C, 2330C, 2420A, 2420B, 2420D, 2420E and 2420F
- Zip code information must be present in loops and segments where the zip code is designated as a required field and match the required TR3 format guidelines for five and nine digit codes.
- ICD validation will not be performed on Professional Medicare crossover claims.

8. ACKNOWLEDGEMENTS AND OR REPORTS

Cigna will generate the TA1/999 acknowledgement for all inbound X12 transactions.

The following is the file naming convention for 999:

Node 1: File name

Format (with dashes separating these fields):

- Original inbound filename
- Time (hhmmss)
- Sequence (used when more than one acknowledgment has the same time stamp)
- 999

Node 2: File extension

Examples:

- PROVIDERABC_837P_COBRA-124729-6-999.dat
- TPXYZ_837_Dental -184715-5-999.dat
- Inst837-014654-3-999.dat

The following is the file naming convention for TA1:

Node 1: File name

Format (with dashes separating these fields):

- Original inbound filename
- Time (hhmmss)
- Sequence (used when more than one acknowledgment has the same time stamp)
- TA1

Node 2: File extension

Examples:

- PROVIDERABC_837P_COBRA-124729-6-TA1.dat
- TPXYZ_837_Dental -124715-5-TA1.dat
- Inst837-124654-3-TA1.dat

The following is the file naming convention for 277CA:

Node 1: Environment ('TST' for Test or 'PROD' for Production)

Node 2: Receiver ID of the transaction

Node 3: Addenda version and transaction type

Node 4: Date and time 277CA was generated (format ccyymmdd-hhmmss)

Node 5: Internal File extension

Node 6: Sequence Number

Node 7: File extension

Examples:

- TST.TPAABC.005010X214.20110609-110525.dat.0000000001.ext
- PROD.PARTNER789.005010X214.20110609-053030.dat.1234567890.pgp

9. TRADING PARTNER AGREEMENTS

Trading Partner Agreements for existing Partners are currently on file with Cigna. For new Trading Partners please contact: EDIEscalatedRequests@Cigna.com

10. TRANSACTION SPECIFIC INFORMATION (LOOPS)

A Transaction Loop is a group of related segments. Cigna specific values are required for the elements which comprise the segments for the 837P Transaction Loops. The following section identifies these loops, their segments and their required element values:

- Loop 2010AA – Billing Provider Name
- Loop 2010AB – Pay-To Address Name
- Loop 2000B – Subscriber Hierarchical Level
- Loop 2000C – Patient Hierarchical Level
- Loop 2310C – Service Facility Location Name
- Loop 2320 – Other Subscriber Information
- Loop 2400 – Service Line Number
- Loop 2430 – Line Adjudication Information
- Loop 2440 – Form Identification Code

10.1. LOOP 2010AA (837P) – BILLING PROVIDER NAME

Loop	Segment	Element	Name	Code(s)	Definition of Code
2010AA	NM1	NM109	Identification Code		When the Billing Provider's NPI (National Provider Identifier) is present in NM109 (identified by the value 'XX' in NM108), the NPI must be numeric and it must be either 10 or 15 characters in length. If the NPI in NM109 contains non-numeric characters or is not a valid length, the claim will be rejected.

10.2. LOOP 2000B (837P) – SUBSCRIBER HIERARCHICAL LEVEL

Loop	Segment	Element	Name	Code(s)	Definition of Code
2000B	PAT	PAT08	Patient Weight		If the first byte begins with a negative sign (-), it will be rejected

10.3. LOOP 2000C (837P) – PATIENT HIERARCHICAL LEVEL

Loop	Segment	Element	Name	Code(s)	Definition of Code
2000C	PAT	PAT08	Patient Weight		If the first byte begins with a negative sign (-), it will be rejected

10.4. LOOP 2300 (837P) – CLAIM INFORMATION

Loop	Segment	Element	Name	Code(s)	Definition of Code
2300	CLM	CLM02	Total Charges		If the field is less than zero, the claim will be rejected.
2300	AMT	AMT02	Patient Paid Amount		If the field is less than zero, the claim will be rejected.
2300	HCP	HCP02	Re-price Allowed		If the field is less than zero, the claim will be rejected.

			Amount		
--	--	--	--------	--	--

10.5. LOOP 2310C (837P) – SERVICE FACILITY LOCATION NAME

Loop	Segment	Element	Name	Code(s)	Definition of Code/Notes
2310C	N3	N301	Address Information		For 5010, the Service Facility loop is only to be used if the Service Facility is not a subpart of the organization. Under 5010, we would expect to see the service address in the Billing Provider loop.

10.6. LOOP 2320 (837P) – OTHER SUBSCRIBER INFORMATION

Loop	Segment	Element	Name	Code(s)	Definition of Code/Notes
2320	AMT	AMT02	The Amount of the COB		If the field is less than zero, the claim will be rejected.
2320	CAS	CAS04	Adjusted Quantity		If the first byte begins with a negative sign (-), it will be rejected
2320	CAS	CAS07	Adjusted Quantity2		If the first byte begins with a negative sign (-), it will be rejected
2320	CAS	CAS10	Adjusted Quantity3		If the first byte begins with a negative sign (-), it will be rejected
2320	CAS	CAS13	Adjusted Quantity4		If the first byte begins with a negative sign (-), it will be rejected
2320	CAS	CAS15	Adjusted Quantity5		If the first byte begins with a negative sign (-), it will be rejected
2320	CAS	CAS19	Adjusted Quantity6		If the first byte begins with a negative sign (-), it will be rejected

10.7. LOOP 2400 (837P) – SERVICE LINE NUMBER

Loop	Segment	Element	Name	Code(s)	Definition of Code/Notes
2400	SV1	SV102	Service Line Amount		If the field is less than zero, the claim will be rejected.
2400	SV5	SV504	DME Rental Price		If the field is less than zero, the claim will be rejected.
2400	SV5	SV505	DME Purchase Price		If the field is less than zero, the claim will be rejected.
2400	CR1	CR106	Ambulance Distance		If the first byte begins with a negative sign (-), it will be rejected
2400	SV1	SV104	Unit Count		If the first byte begins with a negative sign (-), it will be rejected
2400	SV5	SV503	DME QTY		If the first byte begins with a negative sign (-), it will be rejected
2400	MEA	MEA03	Measurement Value		If the first byte begins with a negative sign (-), it will be rejected
2400	CR3	CR303	DME Duration		If the first byte begins with a negative sign (-), it will be rejected
2400	HCP	HCP12	Approved Unit Count		If the first byte begins with a negative sign (-), it will be rejected
2400	SV1	SV102	Service Line Amount		If the field is less than zero, the claim will be rejected.

10.8. LOOP 2430 (837P) – LINE ADJUDICATION INFORMATION

Loop	Segment	Element	Name	Code(s)	Definition of Code/Notes
2430	AMT	AMT02	Remaining Patient Liability		If the field is less than zero, the claim will be rejected.
2430	CAS	CAS04	Adjusted Quantity		If the first byte begins with a negative sign (-), it will be rejected
2430	CAS	CAS07	Adjusted Quantity2		If the first byte begins with a negative sign (-), it will be rejected
2430	CAS	CAS10	Adjusted Quantity3		If the first byte begins with a negative sign (-), it will be rejected
2430	CAS	CAS13	Adjusted Quantity4		If the first byte begins with a negative sign (-), it will be rejected
2430	CAS	CAS15	Adjusted Quantity5		If the first byte begins with a negative sign (-), it will be rejected
2430	CAS	CAS19	Adjusted Quantity6		If the first byte begins with a negative sign (-), it will be rejected
2430	SVD	SVD05	COB Service Unit Count		If the first byte begins with a negative sign (-), it will be rejected

10.9. LOOP 2440 (837P) – FORM IDENTIFICATION CODE

Loop	Segment	Element	Name	Code(s)	Definition of Code/Notes
2440	FRM	FRM05	Percent		If the field is less than zero, the claim will be rejected.

11. APPENDICES

11.1. IMPLEMENTATION CHECKLIST

Once you receive Welcome Package, please sign on and test connectivity.

11.2. BUSINESS SCENARIO

Not applicable.

11.3. TRANSMISSION EXAMPLE

Transmission Example for the 837P is currently under construction.

11.4. TRADING PARTNER SET UP REQUEST FORM

Trading partners who have an active trading partner agreement are given IDs, passwords, and a URL to access the Cigna Technical Assessment Tool. Trading Partners will complete a minimum of three technical assessments to provide Cigna with their contact information, desired connectivity method, and transaction-specific information.

Trading partners should submit transactions according to current guidelines. Any questions regarding transmission must be submitted to Cigna EDI Customer Service.

Cigna offers the following transmission methods for securely exchanging batch transactions using the Cigna Gateway:

- SFTP/SSH-2 (PGP encryption optional)
- FTP/s SSL (PGP encryption optional)
- AS2
- VPN
- HTTP/HTTPS
- Connect:Direct (NDM)

Please Note: These are Cigna Standard offerings. If these methods cannot be applied, contact the Cigna Trading Partner Management help desk at CHCTradingPartnerManagement@Cigna.com to schedule a meeting with a Cigna TPM representative.

After establishing a transmission method, each trading partner must successfully complete testing. Information on this phase is provided in the next section of this companion guide.

Before submitting production inbound files, each trading partner should be tested.

- Trading partners should test by uploading inbound X12 files to the self-service Cigna HIPAA Validation Tool. The tool analyzes files and generates reports listing any HIPAA validation errors encountered. Once test files successfully pass the Cigna HIPAA Validation Tool, trading partners should proceed to the next step to test a file through the Cigna system.
- Trading partners should test by submitting inbound X12 files and receiving validation from Cigna that the data in the file processes as expected. Trading partner testing includes HIPAA

compliance testing as well as validating the use of conditional, optional, and mutually defined components of the transaction.

11.4.1. ROLES AND RESPONSIBILITIES

Trading Partner:

- Provide Cigna with accurate contact information.
- Complete the Technical assessments. This information will be used to set the trading partner up in the system.
- Coordinate testing with Cigna for the communication option selected.

Cigna:

- The Cigna Trading Partner Management team will contact your trading partner regarding any connectivity set-up/testing.
- Trading Partner communications of actual production date.
- Install changes based upon the pre-established Cigna production release procedures.

Cigna Business Area/Application Technical Support:

- Completion of data testing as needed

11.5. CHANGE SUMMARY

This section describes the differences between the current Companion Guide and previous guide(s).

Date	Version	Description	Author
03/27/2011	1.0	Initial Version	
07/28/2011	1.1	Post-delivery updates made based on feedback: <ul style="list-style-type: none"> • Removed CTX05, CTX06 and IK403 entries from table in section 3.1 • Corrections made to AK905 entries in table in section 3.1 • Removed HL, ST, and GS segment entries from table in section 3.2 • Corrections made to customer service information in sections 4.2 and 11 • Correction made to diagram text in section 4.2.1 • Added information regarding 277CA in section 4.3 • Replaced section 4.5 and made changes to password information in sections 4.6 and 11 • Corrections made to Transaction Set Control Number assignment in table in section 6.3 • Corrections made to remove text that is not applicable in section 7 • Corrections made to Pay-To Address text in table in section 10.2 and 10.3 • Corrections made to street address text in section 10.3 that exceeded 35 byte restriction 	
08/18/2011	1.2	Post-delivery updates made based on feedback:	

		<ul style="list-style-type: none"> Text added to section 6.1 regarding the use of delimiters 	
09/08/2011	1.3	<p>Post-delivery updates made based on feedback:</p> <ul style="list-style-type: none"> Removed ambulatory surgery center text from section 7 	
09/14/2011	1.4	<p>Post-delivery updates made based on feedback:</p> <ul style="list-style-type: none"> Removed section 10.1 and renumbered other sections 	
10/04/2011	1.5	<p>Post-delivery updates made based on feedback:</p> <ul style="list-style-type: none"> New Cigna logo added, name change and Disclosure Statement update made EDI Technical Assistance telephone number changed Text added to section 10.1 regarding the National Provider Identifier Text added to section 10.1 regarding address information 	
11/14/2011	1.6	<p>Post-delivery updates made based on feedback:</p> <ul style="list-style-type: none"> Text added to section 7 regarding the number of service lines on a claim 	
01/10/2012	1.7	<p>Post-delivery updates made based on feedback:</p> <ul style="list-style-type: none"> Text added to section 4.3 regarding file naming conventions for 837 files Text added to section 8 regarding file naming conventions for TA1, 999, and 277CA files 	
02/14/2012	1.8	<p>Post-delivery updates made based on feedback:</p> <ul style="list-style-type: none"> Text added to section 7 regarding the Relaxation of HIPAA Compliance Guidelines Text in section 10 regarding N301 address information replaced with text added to section 7 Cigna email address changed for contact and reporting of issues 	
02/24/2012	1.9	<p>Post-delivery updates made based on feedback:</p> <ul style="list-style-type: none"> EDI Technical Assistance telephone number changed 	
02/29/2012	1.10	<p>Post-delivery updates made based on feedback:</p> <ul style="list-style-type: none"> Correction made to section 7 regarding the Relaxation of HIPAA Compliance Guidelines 	

03/20/2012	1.11	Post-delivery updates made based on feedback: <ul style="list-style-type: none"> • Correction made to text in section 7 regarding the Relaxation of HIPAA Compliance Guidelines • Text added to section 7 regarding zip code format 	
06/1/2013	1.12	Updates	
10/1/2013	1.13	Post-deliver updates made Section 7 related to ICD10 and NPI	
10/1/2015	1.14	Updates made Section 7 related to ICD10 and NPI	GB
10/21/2015	1.15	Removed the reject for negative amounts in the CAS03, CAS06, CAS09, CAS12, CAS15 and CAS18 for both 2320 and 2430 Loops (SR 209702 implemented September 2015)	Karen Roberg
7/14/2016	1.16	Updated section 10.6 removed the rejection for paid amount (SR212947 August 2016)	Karen Roberg
10/26/2016	1.17	Added following business rule: The PWK segment, on the 837, should only be submitted with a PWK02 = EL (Electronic Only – used when attachment is being submitted in a separate transaction), when a corresponding 275 transaction is being sent. For any proprietary attachments being submitted, the PWK02 = FT (File Transfer) should be submitted on the 837. The only exception to this would be an agreed upon use, between the Trading Partner and Cigna, of the PWK to share customized data, in which case the PWK02 = EL and the PWK06 begins with //	GB
2/14/2022	1.18	Clarified the PWK02 value rules on page 15	Taylor Morelli-Zwiebel